

Owner's Manual



S2-SB8-DT S2 8” Sealed Enclosure Dual Terminals

Introduction

Congratulations on purchasing the S2-SB8-DT subwoofer enclosure.

If you still have additional questions, please call 1-800-TECH-101.

Note

Design and specifications are subject to change without notice for improvement.

To Ensure Safe Use, Always Follow These Precautions

- Before you use this product, be sure to carefully read this installation manual and the separate user’s manual so that you can use the product correctly. Alpine Electronics bears no responsibility for problems that arise as a result of failure to follow the instructions in the manuals.
- This manual includes a number of symbols that are intended to help you use the product safely, to prevent harm to you and others, and to protect against damage to property. These symbols and their meanings are listed below. Make sure you fully understand these symbols before you begin reading the main text.

Explanation of Injury and Damage That May Result from Incorrect Use

 Warning	Ignoring the content marked by this indication and using the product incorrectly is expected to lead to death or serious injury.
 Caution	Ignoring the content marked by this indication and using the product incorrectly is only expected to lead to injury or property damage.

Types of Precautions

 Forbidden	Indicates actions that are forbidden (must not be performed)
 Forbidden	Indicates that disassembly is forbidden.
 Mandatory	Indicates actions that are mandatory (must be performed)
	Marks content that should receive your full attention.

 Warning

Do not disassemble or modify the product. Doing so could lead to an accident, fire, or electric shock.



Forbidden

Store screws and other small objects where children cannot reach them. If one of those small objects is swallowed, consult with a doctor immediately.



When replacing fuses be sure to use the fuses with the specified current rating. Failing to do so could lead to an accident or fire.



Mandatory



Forbidden

Only connect the product to a 12 VDC negative ground car. Failing to do so could lead to an accident or fire.



Mandatory

Since this vehicle has two batteries, disconnecting the battery is not a good option. Take caution when testing circuits. Failing to do so could lead to electric shock or injury.



Do not cut the insulation on a cord and take power from another device. Doing so could lead to fire or electric shock.



Forbidden

Do not install the product in a location where it will obstruct the driver's forward view; interfere with the operation of the steering wheel, gear shift, or the like; or pose a threat to passengers. Doing so could lead to an accident or injury.



Forbidden

When making a hole in the vehicle body, be careful to avoid damaging pipes, the fuel tank, electrical wiring, and the like. This kind of damage could lead to an accident or fire.



When installing and grounding the product, do not use any of the bolts or nuts of the steering wheel, brakes, fuel tank, or the like. Doing so could make the brakes stop working or could lead to fire.



Forbidden

Do not install the product near the passengerside airbag. Doing so could interfere with the operation of the airbag and lead to an accident or injury.



Forbidden

Bundle cords so that they don't interfere with driving. Wrapping cords around the steering wheel, gearshift, brake pedal, or the like could lead to an accident or damage equipment.


 Caution

Connect the product properly according to the instructions. Failing to do so could lead to fire or an accident.



Forbidden

Do not sandwich cords between the seat railing or allow them to touch protrusions. Resulting breaks or shorts could lead to electric shock or fire.



Do not block vents or heat sinks. Doing so could lead to fire or damage equipment.



Use the accessories according to the instructions, and attach them securely. Failing to do so could lead to an accident or damage equipment.



Forbidden

Do not install the product where it may be exposed to water or in a place with high levels of humidity or dust. Doing so could lead to fire or damage equipment.







Forbidden


The installation and wiring of this product requires specialized skills and experience. Have the product installed by an Alpine authorized dealer.



Parts List

Enclosure	Brackets (Qty:4)	M6 Wing Nut (Qty:4)
		
M6x20 (Qty:4)	Phillips M6x15 (Qty:8)	
		

Box Dimensions



Dimensions (L x W x H)


13in x 13in x 5.3in

RV Under Seat Mounting Hardware (Included)




S2-SB8-DT

+




Wing Nut
(used for RV under seat install)


+



S-Bracket
(Attached via included machine screws
to threaded inserts on the enclosure)




Compatible with KTX-EBKT (Sold Separately)




Alps Alpine North America, Inc.
1500 Atlantic Blvd.
Auburn Hills, MI 48326
Tel: 1-800-TECH-101

Series Connection: 8 Ω




Parallel Connection: 2 Ω



SUB WIRING WORKSHEET
CÂBLAGE POUR "BASS"

Stereo Connection: 2 Ω + 2 Ω Recommended for use with PXE-C80-88 OPTIM8



SUB WIRING WORKSHEET
CÂBLAGE POUR "BASS"

S2-SERIES SUBWOOFER HAUT-PARLEUR D'EXTRÊMES GRAVES S-SERIES APPLICATION GUIDE GUIDE D' APPLICATION

S2-W8D4

8 Inch Dual Voice Coil Subwoofer (4Ω)+(4Ω)
Haut-parleur d'extrêmes graves à double bobine 8 po (4Ω)+(4Ω)

